



Turn to the experts



FLOOR CEILING FAN COIL UNIT





Turn to the experts

Floor-Ceiling Fan Coil Unit



- Auto-swing in both directions
- Auto-cool-dry-heat-fan
- Compact design
- Left or right drain pipe connection
- 3 speed fan
- Wireless remote control
- Multi position
- On/off timer
- R410A /R22 refrigerant

Product Model			42KUE036N-1	42KUE060N-1
Power supply		V- Ph-Hz	220-230V,1Ph, 60Hz	220-230V,1Ph, 60Hz
Indoor fan motor	Model		YKSS-115-4-1-2	YKSS-85-4-1L-2
	Input	W	236.0	166.0
	Capacitor	uF	5	2.5
	Speed(Hi/Mi/Lo)	r/min	1263/1123/1000	1435/1295/1165
Indoor coil	Number of rows		2.0	3.0
	Tube pitch(a)x row pitch(b)	mm	21x13.37	21x13.37
	Fin spacing	mm	1.3	1.3
	Fin type (code)		Hydrophilic aluminum	Hydrophilic aluminum
	Tube outside dia.and type	mm	Ø7,Inner groove tube	Ø7,Inner groove tube
	Coil length x height x width	mm	935x294x26.74	1300x294x40.11
	Number of circuits		6	10
Indoor air flow (Hi/Mi/Lo)		m3/h	1722/1459/1281	2548/2104/1790
Indoor noise level (Hi/Mi/Lo)		dB(A)	52.5/48.7/45.6	58.7/54.1/49.3
Indoor unit	Dimension(W*D*H)	mm	1285x675x235	1650/675/235
	Packing (W*D*H)	mm	1360x755x318	1725/755/318
	Net/Gross weight	kg	31.3/37	41.2/47.7
Drainage water pipe dia		mm	ODØ25mm	ODØ25mm
Qty'per 20' /40' /40'HQ		Indoor unit	92/188/213	72/147/167
Refrigerant piping	Liquid side/ Gas side	mm(inch)	9.52mm(3/8in)/19mm(3/4in)	9.52mm(3/8in)/19mm(3/4in)



Turn to the experts

REF: 042023